


Vaccine Schedule for Infants, Children and Adolescence



Age	Birth to 2 Weeks	1½ to 2½ months	2½ to 3½ months	3½ to 4½ months	4 to 6 months	9 months	12 months	15 months	18 months	19 to 23 months	2 to 3 years	4 to 6 years	7 to 10 years	11 to 12 years	13 to 18 years
BCG	BCG														
Hepatitis B	Hep B	Hep B			Hep B			Hep B		Hep B series					
Oral or Injectable Polio Virus	OPV	OPV	OPV	OPV						IPV* Booster I		IPV* Booster II	IPV along with Tdap		
Diphtheria, Tetanus Pertusis (w/a)		DTwP	DTwP	DTwP					DTaP* Booster I			DTaP* Booster II			
Hemophilus Influenza type B		Hib*	Hib*	Hib*					Hib*	Hib*					
Measles						Measles	Measles								
Rotavirus	Rota x 2 doses at least 4 weeks apart before 6 months of age														
Pneumococcal Conjugate Vaccine	Prevenar 13 = 3 x doses at 2, 4 & 6 months							Prevenar 13	Prevenar Single dose						
	Synflorix = 3 x doses ≥ 1 month apart							Synflorix	Synflorix 2 doses						
Measles Mumps Rubella								MMR**(I)			MMR**(II)	MMR*			
Varicella								Varicella**(I)			Varicella**(II)	Varicella*			
Hepatitis A								HAV x 2 doses (2 nd dose 6 to 12 months after 1 st dose)			Hep A Series				
Influenza (Flu)	From 6 months of age 1 dose (Yearly Immunization)														
Typhoid											From 2 nd year of life (repeated every 3 years)				
Meningococcal Conjugate (ACWY)											MCV4 x 2 doses booster at 16 to 18 years of age				
Human Papilloma Virus (Cervical Cancer)											HPV x 2 doses, 2 nd dose after 6 months of 1 st dose		HPV x 3 doses (1, 2 & 6 month)		
Tetanus, Diphtheria Pertusis (acellular)											Tdap		Tdap		
Tetanus Toxoid											TT		TT		

* These vaccines are combined / mixed together in one shot

** MMR & Varicella vaccine is also available in combo and can be given in one shot

- These shaded box vaccine are routinely given in EPI
- These shaded boxes indicate when the vaccine is recommended for all children and are essential and not optional
- These shaded boxes indicate the vaccine should be given if the child is catching up on missed vaccine

- i) If the Child misses a shot, he/she does not need to start over, just take the child to the doctor for next shot.
- ii) Even if the child has missed initial vaccination, he/she can be updated with catch-up schedule.

Prepared by Dr. M. Saleem Paryani